Jameco Part number 126252

BASIC-52
PROGRAMMING

- A Complete Reference to Programming 80C52-BASIC and 8052AH-BASIC Microcontrollers

BASIC-52

Jameco Part number 126252

Table of Contents

PREFACE vii
- CONVENTIONS vii
- HOW TO USE THIS MANUAL vii
  - Further Information viii

USING BASIC-52 1
- BASIC-52 PINOUT AND FEATURES 1
- 8052AH and 80C52 DIFFERENCES 1
- DEFINITION OF TERMS 2
  - Common Acronyms 2
  - BASIC Interpreters and Compilers 2
  - Console 2
  - Console Serial Port 3
  - On-Line/Off-Line 3
  - Commands 3
  - Operators 3
  - Instructions 3
  - Expressions 3
  - Statements 3
  - Program Lines 4
  - Strobe 4
- WRITING AND EDITING BASIC PROGRAMS 4
  - Anomalies and Bugs 4
  - On-Line Editing 4
  - ASCII Text Only, Please 5
  - Downloading and Uploading Basic Programs 5
  - Constants 5
  - Variables 6
  - Addresses 7
  - Arrays 8
  - Strings 8
- BASIC PROGRAM LINES 8
  - Line Numbers 8
  - Multiple Statements on a Line 8
  - Remarks 8
  - Uppercase/Lowercase 9
  - Spaces in Program Lines 9
  - Use Of Parentheses 10
  - Subroutines and Branching 10
  - Passing Variables Between Programs and Subroutines 11
- RUNNING BASIC PROGRAMS 11
  - Command and Run Modes 11
  - Control-C 11
  - Control-S and Control-Q (X-On and X-Off) 11
- STORING BASIC PROGRAMS 12
  - Device Pins Used for Programming 12
  - Programming Algorithms 13
  - EPROM 13
  - EEPROM 13
  - SRAM 14
- WHAT HAPPENS AFTER RESET 14

PROGRAMMER'S REFERENCE 15
- PROGRAM EXECUTION and LISTING COMMANDS 15
  - RAM 15
  - ROM 16
  - XFER 16
  - RUN 17
  - CONT 17
  - LIST 18

LIST#	18
LIST@	19
NEW	19
NULL	20
PROGRAMMING COMMANDS	22
PROG and FPROG	22
PROG1 and FPROG1	22
PROG2 and FPROG2	23
PROG3 and FPROG3	23
PROG4 and FPROG4	23
PROG5 and FPROG5	24
PROG6 and FPROG6	24
MEMORY ALLOCATION VARIABLES	26
FREE	26
LEN	26
MTOP	27
OPERATORS	28
Precedence of Operators	28
ARITHMETIC OPERATORS	29
=	29
+	29
-	29
*	29
/	29
**	30
SQR	30
LOGARITHMIC OPERATORS	31
EXP	31
LOG	31
TRIGONOMETRIC OPERATORS	32
SIN	32
COS	32
TAN	32
ATN	33
RELATIONAL OPERATORS	34
=	34
<>	34
<	34
>	34
<=	35
>=	35
BITWISE LOGICAL OPERATORS	36
.AND.	36
.OR.	36
.XOR.	36
NOT	36
STRING OPERATORS	38
STRING	38
ASC	40
CHR	41
VALUE OPERATORS	42
ABS	42
INT	42
PI	42
RND	42
SGN	42
SPECIAL OPERATORS	43
XTAL	43
IE	44
IP	45
PCON	46
PORTI	48

RCAP2 49
T2CON 50
TCON 52
TMOD 54
TIME 56
TIMER0 57
TIMER1 58
TIMER2 59
INSTRUCTIONS 60
LOOPING, SUBROUTINES, BRANCHING AND CONTROL 60
DO – UNTIL 61
DO – WHILE 62
FOR - TO - STEP – NEXT 63
GOSUB – RETURN 64
ON - GOSUB – RETURN 65
CALL 67
GOTO 68
ON – GOTO 69
IF - THEN – ELSE 70
RROM 71
STOP 73
END 74
REM 75
INPUT/OUTPUT 76
BAUD 76
GET 77
INPUT 78
PWM 79
UI1 81
UI0 81
UO1 82
UO0 82
PRINTING 83
PRINT or P. or ? 83
PRINT# or P.# or ?# 83
PH0. and PH1. 85
PH0.# and PH1.# 85
PRINT@ or P.@ or ?.@ 86
PH0.@ or PH1.@ 86
PRINT FORMATTING 86
CR 86
SPC 87
TAB 87
USING or U. 88
DATA CONTROL AND STORAGE 89
DBY 89
CBY 91
XBY 92
ST@ 93
LD@ 94
CLEAR 95
CLEARS 96
DATA 97
READ 97
RESTORE 97
DIM 98
LET 99
PGM 100
PUSH 101
POP 102
INTERRUPTS AND REAL-TIME CLOCK 103
CLEARI 103

ONERR 104
ONEX1 105
ONTIME 106
IDLE 107
RETI 108
CLOCK1 109
CLOCK0 109

APPENDIX A -
ERROR MESSAGES 110
A-STACK 111
ARITH. UNDERFLOW 111
ARITH. OVERFLOW 111
ARRAY SIZE 111
BAD ARGUMENT 112
BAD SYNTAX 112
C-STACK 112
CAN'T CONTINUE 112
DIVIDE BY ZERO 112
I-STACK 112
MEMORY ALLOCATION 113
NO DATA 113
PROGRAMMING 113
PROM MODE 113

APPENDIX B -
RUN-TIME, STARTUP and RESET OPTIONS 114
IMPLEMENTING "PSEUDO DMA" 114
RUN TRAP OPTION 115
CUSTOM RESET ROUTINES 116
DISABLING CONTROL-C 117

APPENDIX C -
MEMORY USAGE AND STORAGE FORMATS 118
SPECIAL FUNCTION REGISTERS 118
PROGRAM MEMORY 118
DATA MEMORY 119
OVERLAID PROGRAM AND DATA MEMORY 119
EA PIN (PIN 31) 120
INTERNAL AND EXTERNAL MEMORY USAGE 121
Bit and Byte Addressing Conventions 121
Internal Data Memory Allocation 121
External Data Memory Allocation 123
Internal Program Memory Allocation 124
External Program Memory Allocation 124
STRING AND VARIABLE STORAGE 126
String Storage 127
Variable Storage 127
FLOATING-POINT FORMAT 128
PROGRAM STORAGE FORMAT - RAM 128
PROGRAM STORAGE FORMAT - EPROM 129
STACK LOCATION AND USE 130
Control Stack 130
Argument Stack 130
Internal Stack 130

APPENDIX D -
BAUD RATE GENERATION OPTIONS 131
EXTERNAL CLOCKING OF BAUD RATE GENERATORS 131
TIMER2 BAUD RATE GENERATION 131
Internal Clock 131
External Clock 132

TIMER1 BAUD RATE GENERATION 132
Internal Clock 132
External Clock 132
EXAMPLE OF BAUD RATE CALCULATION 133
EXAMPLE OF TIMER1 AND TIMER2 BAUD RATE GENERATION 133

APPENDIX E -
ASSEMBLY LANGUAGE INTERFACE 134
Shared Processor Resources 134
Register Availability 134
Internal Stack Availability 135
Calling BASIC-52 Routines from Assembly Language 135
CONTROL and SYSTEM OPERATIONS 137
Return to Command Mode, Opbyte 00H 137
Enter Run mode, Opbyte 42H 137
Crystal Dependent Calculations, Opbyte 3AH 137
Program an EPROM, Opbyte 04H 138
SYSTEM CONTROL VALUES 139
FREE, Opbyte 29H 139
LEN, Opbyte 2AH 139
MTOP, Opbyte 2CH 139
XTAL, Opbyte 2BH 139
DATA CONVERSION 139
Convert Floating-point Value to Integer, Opbyte 01H 139
Convert Integer Value to Floating-point, Opbyte 9AH 140
BASIC and ASSEMBLY LANGUAGE DATA TRANSFER 140
PUSH Floating-point Value onto Argument Stack, Opbyte 02H 140
POP Floating-point Value from Argument Stack, Opbyte 03H 141
CONSOLE I/O 141
String Input, Opbyte 05H 141
String Output, Opbyte 06H 142
Output a Carriage Return - Line Feed, Opbyte 07H 142
Output Character, Opbyte 80H 142
Output Floating-point Value, Opbyte 90H 142
Output Integer in HEX Format, Opbyte 98H 143
Get a Character, Opbyte 41H 143
GET, Opbyte 28H 143
SPECIAL OPERATORS 143
CBY operator, Opbyte 20H 143
DBY Operator, Opbyte 24H 144
XBY Operator, Opbyte 25H 144
IE, Opbyte 2EH 144
IP, Opbyte 2FH 144
PCON, Opbyte 38H 144
PORT1, Opbyte 37H 145
RCAP2, Opbyte 36H 145
T2CON, Opbyte 33H 145
TCON, Opbyte 34H 145
TIME, Opbyte 2DH 145
TIMER0, Opbyte 30H 145
TIMER1, Opbyte 31H 145
TIMER2, Opbyte 32H 146
TMOD, Opbyte 35H 146
ARITHMETIC OPERATORS 146
ADD, Opbytes 0BH and 82H 146
DIVIDE, Opbytes 0CH and 8AH 147
MULTIPLY, Opbytes 0AH and 88H 147
SUBTRACT, Opbytes 0DH and 84H 147
** - Exponentiation, Opbyte 09H 147
SQR - Square Root, Opbyte 1FH 147
LOGARITHMIC OPERATORS 148
EXP - Logarithmic Exponentiation e^{ARG}, Opbyte 21H 148

LOG - Natural Logarithm, Opbyte 23H 148
TRIGONOMETRIC OPERATORS 148
ATN - Arc Tangent, Opbyte 22H 148
COS - Cosine, Opbyte 1CH 148
SIN - Sine, Opbyte 1EH 148
TAN - Tangent, Opbyte 1DH 148
RELATIONAL OPERATORS 149
= Equality, Opbyte 12H 149
>= Greater Than or Equal, Opbyte 13H 149
<= Less Than Or Equal, Opbyte 14H 149
<> Not Equal, Opbyte 15H 149
< Less Than, Opbyte 16H 149
> Greater Than, Opbyte 17H 149
LOGICAL OPERATORS 150
Logical AND, Opbyte 0FH 150
Logical OR, Opbyte 10H 150
Logical XOR, Opbyte 0EH 150
NOT - One's Complement, Opbyte 1BH 150
BASIC-52 TEXT STRING OPERATIONS 150
Evaluate an Expression, Opbyte 39H 150
Get Text String Character, Opbyte 3FH 151
Get Text Character and Advance Pointer, Opbyte 40H 151
VALUE OPERATORS 152
ABS - Absolute value, Opbyte 18H 152
INT - Integer, Opbyte 19H 152
PI - 3.1415926, Opbyte 26H 152
RND - Random Number, Opbyte 27H 152
SGN - Sign of a Number, Opbyte 1AH 152
INTERRUPTS 153

APPENDIX F -
COMMAND and INSTRUCTION EXTENSIONS 155
ADDING BASIC-52 COMMANDS and INSTRUCTIONS 155
BASIC-52 TOKENS AND KEYWORDS 157

Index 158

Jameco Part number 126252

Alphabetical Index of Commands, Operators and Instructions

/, **29**
-, **29**
+, **29**
*, **29**
, **30
<, **34**
<=, **35**
<>, **34**
= (Relational), **34**
= (Assignment), **29**
>, **34**
>=, **35**
ABS, **42**
AND, **36**
ASC, **40**
ATN, **33**
BAUD, **76**
CALL, **67**
CBY, **91**
CHR, **41**
CLEAR, **95**
CLEARI, **103**
CLEARS, **96**
CLOCK0, **109**
CLOCK1, **109**
CONT, **17**
COS, **32**
CR, **86**
DATA, **97**
DBY, **89**
DIM, **98**
DO-WHILE, **62**
DO-UNTIL, **61**
END, **74**
EXP, **31**
FOR-TO-STEP-NEXT, **63**
FREE, **26**
GET, **77**
GOSUB-RETURN, **64**
GOTO, **68**
IDLE, **107**
IE, **44**
IF-THEN-ELSE, **70**
INPUT, **78**
INT, **42**
IP, **45**
LD@, **94**
LEN, **26**
LET, **99**
LIST, **18**
LIST#, **18**
LIST@, **19**
LOG, **31**
MTOP, **27**
NEW, 19
NOT, **36**
NULL, 20
ON-GOSUB-RETURN, **65**
ON-GOTO, **69**
ONERR, **104**
ONEX1, **105**
ONTIME, **106**
OR, **36**
PCON, **46**
PGM, **100**
PH0. and PH1., **85**
PH0.# and PH1.#, **85**
PH0.@ and PH1.@, **86**
P1, **42**
POP, **102**
PORT1, **48**
PRINT or P. or ?, **83**
PRINT# or P.# or ?#, **83**
PRINT@, **86**
P.@ or ?.@, **86**
PROG and FPROG, **22**
PROG1 and FPROG1, **22**
PROG2 and FPROG2, **23**
PROG3 and FPROG3, **23**
PROG4 and FPROG4, **23**
PROG5 and FPROG5, **24**
PROG6 and FPROG6, **24**
PUSH, **101**
PWM, 79
RAM, **15**
RCAP2, **49**
READ, **97**
REM, **75**
RESTORE, **97**
RETI, **108**
RND, **42**
ROM, **16**
RROM, **71**
RUN, **17**
SGN, **42**
SIN, **32**
SPC, **87**
SQR, **30**
ST@, **93**
STOP, **73**
STRING, **38**
T2CON, **50**
TAB, **87**
TAN, **32**
TCON, **52**
TIME, **56**
TIMER0, **57**
TIMER1, **58**
TIMER2, **59**
TMOD, **54**
UI0, **81**
UI1, **81**
UO0, **82**
UO1, **82**
USING or U., **88**
XBY, **92**
XFER, **16**
XOR, **36**
XTAL, **43**

Printed on recycled paper using vegetable oil inks.